United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/837,487	04/19/2001	Kazuo Ooya	Q64156	9915
SUGHURE, MION, ZINN, MACPEAK & SEAS 2100 Pennsylvania Avenue, N.W. Washington, DC 20037-3202			EXAMINER RUDY, ANDREW J	
			3627	ed i
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MO	NTHS	01/29/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	09/837,487	OOYA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Andrew Joseph Rudy	3627			
The MAILING DATE of this communication ap	pears on the cover sheet wi	th the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 136(a). In no event, however, may a re will apply and will expire SIX (6) MON te, cause the application to become AB.	CATION. eply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 27 (2a) This action is FINAL . 2b) This action is application is in condition for allowed closed in accordance with the practice under	s action is non-final. ance except for formal matte	•			
Disposition of Claims					
4) Claim(s) 1-6,9,10 and 14 is/are pending in the 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-6,9,10 and 14 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	awn from consideration.				
9) The specification is objected to by the Examin	or				
10) The drawing(s) filed on is/are: a) acceptable and acceptable and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	cepted or b) objected to be drawing(s) be held in abeyan ction is required if the drawing(ce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 11/21/02.	Paper No(s	ummary (PTO-413) s)/Mail Date Iformal Patent Application			

DETAILED ACTION

1. Claims 1-6, 9, 10 and 14 are pending. The previous 35 USC 112 rejections are withdrawn pursuant to Applicant's October 27, 2006 Amendment and REMARKS.

Claim Rejections - 35 USC § 103

2. Claims 1-6, 9, 10 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mital, US 5,903,652.

Mital discloses, e.g Figs. 1-15, a computer network, e.g. Fig. 2, an electronic audit system, e.g. 400, including database management records, e.g. 406, and International Organization for Standardization (ISO) system, e.g. 404. Mital does not disclose the term communication device. However, Mital's system does communicate data via its system. Official Notice is taken that the additional features recited from claims 1-6, 9, 10 and 14 have been common knowledge in the art prior to Applicant's filling date. To have provided a communication device for Mital would have been obvious to one of ordinary skill in the art in view of Official Notice.

Applicant's attempt at traversing the Official Notice findings as stated in the July 27, 2006 Office Action is inadequate. Adequate traversal is a two step process. First, Applicant must state their traversal on the record. Second, and in accordance with 37 C.F.R. § 1.111(b) which requires Applicant to specifically point out the supposed errors in the Office Action, Applicant must state why the Office Action statements are not to be considered common knowledge or well known in the art.

Art Unit: 3627

In this application, Applicant has clearly met step (1) as traversal of Official Notice has been taken. Second, Applicant has failed step (2) since they have failed to argue why the Official Notice statements are not to be considered common knowledge or well known in the art. Applicant did not affirmatively state why such common knowledge is not known. Because Applicant's traversal is inadequate, the Official Notice, e.g. common knowledge, statements are taken to be admitted as prior art. See, MPEP § 2144.03.

Further, it is noted that Applicant's claim language is replete with intended use claim language, e.g. claim 1, lines 1, "for an auditor" and "to be audited," are given little, if any, patentable weight in juxtaposition to positively recited claim language, e.g. claim 1, line 5, "a database." As is, Applicant's claim language does not distinguish over Mital, in view of Official Notice.

Applicant's Information Disclosure Statement (IDS) submitted November 21,
 2002 has been reviewed. Note attached PTO-1449.

Conclusion

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Art Unit: 3627

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew Joseph Rudy whose telephone number is 571-272-6789. The examiner can normally be reached on Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ryan M. Zeender can be reached on 571-272-6790. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Andrew Joseph Rudy Primary Examiner

Art Unit 3627